

CERTIFICATE

No. U6 088072 0057 Rev. 00

Holder of Certificate: AOK Industrial Company Limited

1/F of 1#Building
East Block of 3/F of Building 1
And 2/F of Building 4, ST George's Science and Technology
Industrial Park
Northside of Xinyu Road
Xiangshan Community
Xinqiao Street Baoan District
518000 Shenzhen, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Product:


**Flood lights
(LED Flood Light)**

The product was voluntarily tested according to the listed standards. The product can be marked with the certification mark shown above. It is not permitted to alter the certification mark in any way. In addition, the certificate holder must not transfer the certificate to third parties. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.:

64142265011601

Date, 2026-05-08



(Taylor Yao)

CERTIFICATE

No. U6 088072 0057 Rev. 00

Model(s):

AOK-ZWFLC(M)-NV-A5-BB-XXYY-BN-P;
 AOK-ZWFLC(L)-NV-A5-BB-XXYY-BN-P;
 AOK-ZWFLC(XL)-NV-A5-BB-XXYY-BN-P;
 AOK-ZWFLC(M)-NV-L5-BB-XXYY-BN-P;
 AOK-ZWFLC(L)-NV-L5-BB-XXYY-BN-P;
 AOK-ZWFLC(XL)-NV-L5-BB-XXYY-BN-P;
 AOK-ZWFLC(M)-NV-L3-BB-XXYY-BN-P;
 AOK-ZWFLC(L)-NV-L3-BB-XXYY-BN-P ;
 ('Z' stands for Rated Power, can be 20-500, in steps of 1W, e.g. 20=20W, 500=500W;
 'BB' stands for whether with Zhaga socket & sealing cap, can be 00 and SN, 00= without Zhaga socket & sealing cap, SN= with Zhaga socket & sealing cap;
 'XX' stands for CCT of LED, can be 27, 30, 40, 50, 57 and 65, 27=2700K, 30=3000K, 40=4000K, 50=5000K, 57=5700K, 65=6500K;
 'YY' stands for CRI (color rendering index), can be 70 and 80, 70=Ra: 70, 80=Ra: 80;
 'P' stands for internal code, can be A, B, C)

Brand Name:

AOK



Parameters:

Rated Voltage: 120-277VAC
 Rated Frequency: 50/60Hz
 Rated Power: See below table for details
 Protection Class: I
 Degree of Protection: IP66
 Blue Light Hazard Group: BLH-B
 ta: 50°C

CERTIFICATE

No. U6 088072 0057 Rev. 00

Model No.	'Z' can be 20 to 500 which stands for Rated Power 20W to 500W, in steps of 1W	Rated Power (W)
AOK-ZWFLC(M)-NV-A5-BB-XXYY-BN-P	Z=20 to 240	20-240
AOK-ZWFLC(L)-NV-A5-BB-XXYY-BN-P	Z=101 to 500	101-500
AOK-ZWFLC(XL)-NV-A5-BB-XXYY-BN-P	Z=241 to 500	241-500
AOK-ZWFLC(M)-NV-L5-BB-XXYY-BN-P	Z=20 to 240	20-240
AOK-ZWFLC(L)-NV-L5-BB-XXYY-BN-P	Z=101 to 500	101-500
AOK-ZWFLC(XL)-NV-L5-BB-XXYY-BN-P	Z=241 to 500	241-500
AOK-ZWFLC(M)-NV-L3-BB-XXYY-BN-P	Z=20 to 240	20-240
AOK-ZWFLC(L)-NV-L3-BB-XXYY-BN-P	Z=101 to 240	101-240

**Tested
according to:**

EN 60598-2-5:2015
EN IEC 60598-1:2024/A11:2024

**Production
Facility(ies):**

088072