

# CERTIFICATE OF COMPLIANCE

**Certificate Number** <<UL-US-L364473-11-92608102-1>>  
**Report Reference** <<E364473-20180629>>  
**Date** 3-Jun-2022

**Issued to:** AOK LED Light Company Limited  
East Suite (2/F, Plant 4, St George's Science and  
Technology Industrial Park)  
3/F, Building 1, St George's Science and Technology  
Industrial Park  
North Side of Xinyu Road, Xinqiao Street Shenzhen,  
Guangdong 518125  
China

**This is to certify that  
representative samples of**

IFAM - Light-emitting-diode Surface-mounted Luminaires  
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** UL 1598, 5th Ed., Issue Date: 2021-03-26, Revision Date:  
2021-06-18

**Additional Information:** See the UL Online Certifications Directory  
at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up  
Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's  
Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please  
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** <<UL-US-L364473-11-92608102-1>>

**Report Reference** <<E364473-20180629>>

**Date** 3-Jun-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
AOK-300WoF-HV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-300WoF-NV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-300WoFH-HV-XX-00-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-300WoFH-NV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for Motion Sensor provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-400WoF-HV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided, followed by "XXXX" which can be any numbers for temperature colors and	LED Surface Mounted Luminaire

*B. Mahrenholz*

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** <<UL-US-L364473-11-92608102-1>>

**Report Reference** <<E364473-20180629>>

**Date** 3-Jun-2022

color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	
AOK-400WoF-NV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-400WoFH-HV-XX-00-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-400WoFH-NV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for Motion Sensor provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-460WoF-HV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-460WoF-NV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire

*B. Mahrenholz*

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>





# CERTIFICATE OF COMPLIANCE

**Certificate Number** <<UL-US-L364473-11-92608102-1>>

**Report Reference** <<E364473-20180629>>

**Date** 3-Jun-2022

mounted only or blank for ceiling and wall mounted. AOK-460WoFH-HV-XX-00-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-460WoFH-NV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for Motion Sensor provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-600WoF-HV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided or "PH" for Photocontrol provided., followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which can be "A" for ceiling mounted only or "B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-750WoF-HV-XX-XX-XXXX-BN-P, , where first "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-750WoF-NV-XX-XX-XXXX-BN-P, , where first "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided or "PH" for Photocontrol provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire

*B. Mahrenholz*

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




# CERTIFICATE OF COMPLIANCE

**Certificate Number** <<UL-US-L364473-11-92608102-1>>

**Report Reference** <<E364473-20180629>>

**Date** 3-Jun-2022

AOK-960WoF-HV-XX-XX-XXXX-BN-P, , where first "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-960WoF-NV-XX-XX-XXXX-BN-P, , where first "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided or "PH" for Photocontrol provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** <<UL-CA-L364473-31-92608102-1>>  
**Report Reference** <<E364473-20180629>>  
**Date** 3-Jun-2022

**Issued to:** AOK LED Light Company Limited  
East Suite (2/F, Plant 4, St George's Science and  
Technology Industrial Park)  
3/F, Building 1, St George's Science and Technology  
Industrial Park  
North Side of Xinyu Road, Xinqiao Street Shenzhen,  
Guangdong 518125  
China

**This is to certify that  
representative samples of**

IFAM7 - Light-emitting-diode Surface-mounted Luminaires  
Certified for Canada  
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** CSA C22.2 NO. 250.0:21, 5th Ed., Issue Date: 2021-03-26,  
Revision Date: 2021-06-18

**Additional Information:** See the UL Online Certifications Directory  
at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up  
Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's  
Follow-Up Services.

Look for the UL Certification Mark on the product.

*B. Mahrenholz*

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please  
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** <<UL-CA-L364473-31-92608102-1>>

**Report Reference** <<E364473-20180629>>

**Date** 3-Jun-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
AOK-300WoF-HV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-300WoF-NV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-300WoFH-HV-XX-00-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-300WoFH-NV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for Motion Sensor provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-400WoF-HV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided, followed by "XXXX" which can be any numbers for temperature colors and	LED Surface Mounted Luminaire

*B. Mahrenholz*

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>





# CERTIFICATE OF COMPLIANCE

**Certificate Number** <<UL-CA-L364473-31-92608102-1>>

**Report Reference** <<E364473-20180629>>

**Date** 3-Jun-2022

color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	
AOK-400WoF-NV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-400WoFH-HV-XX-00-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-400WoFH-NV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for Motion Sensor provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-460WoF-HV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-460WoF-NV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire

*B. Mahrenholz*

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>





# CERTIFICATE OF COMPLIANCE

**Certificate Number** <<UL-CA-L364473-31-92608102-1>>

**Report Reference** <<E364473-20180629>>

**Date** 3-Jun-2022

mounted only or blank for ceiling and wall mounted. AOK-460WoFH-HV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-460WoFH-NV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for Motion Sensor provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-600WoF-HV-XX-XX-XXXX-BN-P, , where "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided or "PH" for Photocontrol provided., followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which can be "A" for ceiling mounted only or "B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-750WoF-HV-XX-XX-XXXX-BN-P, , where first "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-750WoF-NV-XX-XX-XXXX-BN-P, , where first "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided or "PH" for Photocontrol provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire

*B. Mahrenholz*

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




# CERTIFICATE OF COMPLIANCE

**Certificate Number** <<UL-CA-L364473-31-92608102-1>>

**Report Reference** <<E364473-20180629>>

**Date** 3-Jun-2022

AOK-960WoF-HV-XX-XX-XXXX-BN-P, , where first "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire
AOK-960WoF-NV-XX-XX-XXXX-BN-P, , where first "XX" can be "L3" or "X5" for different brands of LED , followed by "XX" which can be "00" for without sensor or "SN" for photocontrol function provided or "PH" for Photocontrol provided, followed by "XXXX" which can be any numbers for temperature colors and color rendering index, followed by "BN" which can be any letters or digits for beam angles, may be followed by "P" which "-A" for ceiling mounted only, "-B" for wall mounted only or blank for ceiling and wall mounted.	LED Surface Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

