

CERTIFICATE

No. U6 088072 0063 Rev. 00

Holder of Certificate: **AOK Industrial Company Limited**

1/F of 1#Building
East Block of 3/F of Building 1
And 2/F of Building 4, ST George's Science and Technology
Industrial Park
Northside of Xinyu Road
Xiangshan Community
Xinqiao Street Baoan District
518000 Shenzhen, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:




Product: **Luminaires for road and street lighting
(LED Street Light)**

The product was voluntarily tested according to the listed standards. The product can be marked with the certification mark shown above. It is not permitted to alter the certification mark in any way. In addition, the certificate holder must not transfer the certificate to third parties. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 64142265021601

Date, 2026-07-23



(Taylor Yao)

CERTIFICATE

No. U6 088072 0063 Rev. 00

Model(s):

AOK-ZWiLH(S)-NV-A5-BB-XXYY-BN-P;
 AOK-ZWiLH(M)-NV-A5-BB-XXYY-BN-P;
 AOK-ZWiLH(L)-NV-A5-BB-XXYY-BN-P;
 AOK-ZWiLH(XL)-NV-A5-BB-XXYY-BN-P;
 AOK-ZWiLH(XXL)-NV-A5-BB-XXYY-BN-P;
 AOK-ZWiLH(S)-NV-L2-BB-XXYY-BN-P;
 AOK-ZWiLH(M)-NV-L2-BB-XXYY-BN-P;
 AOK-ZWiLH(L)-NV-L2-BB-XXYY-BN-P;
 AOK-ZWiLH(XL)-NV-L2-BB-XXYY-BN-P;
 AOK-ZWiLH(XXL)-NV-L2-BB-XXYY-BN-P;
 AOK-ZWiLH(S)-NV-L3-BB-XXYY-BN-P;
 AOK-ZWiLH(M)-NV-L3-BB-XXYY-BN-P;
 AOK-ZWiLH(L)-NV-L3-BB-XXYY-BN-P;
 ('Z' stands for Rated Power, can be 10-300, in steps of 1W, e.g. 10=10W, 300=300W;
 'BB' stands for whether with NEMA socket & short-circuit cap and Zhaga socket & sealing cap, can be 00, PH and SN, 00=without NEMA socket & short-circuit cap and Zhaga socket & sealing cap, PH=with NEMA socket & short-circuit cap, SN=with Zhaga socket & sealing cap;
 'XX' stands for CCT of LED, can be 27, 30, 35, 40, 50, 57 and 65, 27=2700K, 30=3000K, 35=3500K, 40=4000K, 50=5000K, 57=5700K, 65=6500K;
 'YY' stands for CRI (color rendering index), can be 70, 80 and 90, 70=Ra: 70, 80=Ra: 80, 90=Ra: 90)

Brand Name:

AOK



Parameters:

Rated Voltage: 220-240VAC
 Rated Frequency: 50/60Hz
 Rated Power: See below table for details
 Protection Class: I
 Degree of Protection: IP66
 Blue Light Hazard Group: BLH-B
 ta: 55°C

CERTIFICATE

No. U6 088072 0063 Rev. 00

Model No.	'Z' can be 10 to 300 which stands for Rated Power 10W to 300W, in steps of 1W	Rated Power (W)
AOK-ZWiLH(S)-NV-A5-BB-XXYY-BN-P	Z=10 to 100	10-100
AOK-ZWiLH(M)-NV-A5-BB-XXYY-BN-P	Z=101 to 150	101-150
AOK-ZWiLH(L)-NV-A5-BB-XXYY-BN-P	Z=121 to 200	121-200
AOK-ZWiLH(XL)-NV-A5-BB-XXYY-BN-P	Z=161 to 240	161-240
AOK-ZWiLH(XXL)-NV-A5-BB-XXYY-BN-P	Z=201 to 300	201-300
AOK-ZWiLH(S)-NV-L2-BB-XXYY-BN-P	Z=10 to 100	10-100
AOK-ZWiLH(M)-NV-L2-BB-XXYY-BN-P	Z=101 to 150	101-150
AOK-ZWiLH(L)-NV-L2-BB-XXYY-BN-P	Z=121 to 200	121-200
AOK-ZWiLH(XL)-NV-L2-BB-XXYY-BN-P	Z=161 to 240	161-240
AOK-ZWiLH(XXL)-NV-L2-BB-XXYY-BN-P	Z=201 to 300	201-300
AOK-ZWiLH(S)-NV-L3-BB-XXYY-BN-P	Z=10 to 100	10-100
AOK-ZWiLH(M)-NV-L3-BB-XXYY-BN-P	Z=101 to 150	101-150
AOK-ZWiLH(L)-NV-L3-BB-XXYY-BN-P	Z=121 to 150	121-150

**Tested
according to:**

EN 60598-2-3:2003/A1:2011
EN IEC 60598-1:2024/A11:2024

**Production
Facility(ies):**

088072