

# TEST REPORT

**Product** : LED Street Light

**Model** : AOK-30WiM

**Client** : AOK LED Light Company Limited

**Factory** : AOK LED Light Company Limited

**Test sort** : Entrustment inspection


**Shenzhen Anbotek Compliance Laboratory Limited**

## Marking

1. The test report is invalid without the official stamp of test center.
2. Nobody is allowed to photocopy or partly photocopy this test report without written permission of test center.
3. The test report is invalid without the signatures of testing engineer, reviewer and approver.
4. The test report is invalid if altered.
5. Objections to the test report must be submitted to test center within 15 days.
6. The test report is valid for the tested samples only.
7. As for test verdict, “—” means “no need for judgment” “N/A” means “not applicable”, “P” means “pass”, “F” means “fail”.



# TEST REPORT

**Applicant** : AOK LED Light Company Limited  
**Address** : Building 1, St George`s Science and Technology Industrial Park,  
Shajin Street, Shenzhen, Guangdong Province, China Zip 518125  
**Report on the submitted sample(s) said to be:**  
**Sample Name** : LED Street Light  
**Model** : AOK-30WiM, AOK-20WiM, AOK-40WiM, AOK-50WiM, AOK-60WiM  
**Trademark** :   
**Description** : /  
**Supplier** : AOK LED Light Company Limited  
**Manufacturer** : AOK LED Light Company Limited  
**Other information** : /  
**Sample(s) received Date** : 2018.04.25  
**Testing period** : 2018.04.25- 2018.05.02  
**Report Date** : 2018.05.02

**Test Conclusion :**

Section No.	Test Name	Test Method	Evaluation
1	IK08	IEC 62262:2002	P

Prepared by:

*Moon Liu*

Name: Moon Liu  
Title: Test Engineer

Checked by:

*Jimmy Zhou*





Name: Jimmy Zhou  
Title: Lab Manager

Approved by:

*Mike Jiang*

Name: Mike Jiang  
Title: Lab Manager



<b>1. IK08</b>				
Test Method	IEC 62262:2002			
Test Condition	<p>The test remark and the matters needing attention:</p> <p>--- The sample is placed on the ground, Begin the impact test from a height of 300 mm using the drop ball 1.7 kg, The energy of impact test specimens for 5J;</p> <p>--- The impact of 5 points evenly distributed in the sample, in the left, right, and each point of a shock;</p> <p>--- Check the sample after the test.</p>			
Test Equipment	Equipment Name	Equipment No.	Model	Validity Period
	IK impact tester	SE-1439	GRPH-2	2019.01.29
Test Result	Sample No.	Requirement	Test Result	Conclusion
	SZAEK180425008-001	No crack on the sample	No crack on the sample	P
Photos				
	Before test		Test set-up	
				
	After test		After test	

\*\*\*End of Report\*\*\*